

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	("20020143944" or "20040019645" or "20050021836" or "20050144298").did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 16:00
S2	1694	(WS or (web service)) near address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 16:02
S3	181	S2 and SOAP and XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 16:03
S4	78	S3 and endpoint and (reply or response) and binding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 16:10
S5	20	S3 and (endpoint near reference) and (reply or response) and binding and transport	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 16:11
S6	58	S4 not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 16:21
S7	2	"20050204051".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 16:22

S8	3	(open content) and (web service) and SOAP and XML and endpoint and reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 17:35
S9	830	(web service) and messag \$3 and SOAP and endpoint and reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 17:40
S10	2	S9 and relatesto and replyto and faultto	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 17:40
S11	1219	(web service) and messag \$3 and endpoint and reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 17:41
S12	529	S11 and (coordinator or (third near party))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:02
S13	383	S12 and SOAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:03
S14	1527	(web service) and (messaging with protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:34
S15	1	S14 and coordinat\$3 and SOAP and (endpoint reference) and (reference propert\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:35
S16	227	S14 and coordinat\$3 and SOAP and endpoint and reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:35

S17	193	S14 and coordinat\$3 and SOAP and endpoint and reference and propert\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:36
S18	4	S14 and coordinat\$3 and SOAP and endpoint reference and propert\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:36
S19	7	S14 and coordinat\$3 and SOAP and endpoint reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:36
S20	98	S17 and address\$3 and (message near3 header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:40
S21	646	(web service) and (messaging protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:40
S22	253	(web service) same (messaging protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:41
S23	2	S22 and coordinat\$3 and SOAP and endpoint reference and propert\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:41
S24	61	S22 and coordinat\$3 and SOAP and endpoint and reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:41
S25	14	S24 and address\$3 and (message near3 header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/27 18:41

S26	10	("7188155" or "6581094" or "7047243" or "6839896").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:02
S27	22151	((web service) or WS) same (SOAP or XML or WSDL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:26
S28	128	S27 same endpoint same message same (transport or binding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:27
S29	48	S28 and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:28
S30	48	S29 and address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:34
S31	19	S29 and addressing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:35
S32	29	S30 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:37
S33	317	S27 same (coordinat\$3 or redirect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:46
S34	73	S33 and endpoint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:46

S35	19	S27 same endpoint same (message or reply or response) same (coordinate\$3 or redirect\$3 or proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 18:18
S36	69	S27 and (ReplyTo or (Reply to) or RelatesTo or RelateTo or (relate\$1 to))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 18:22
S37	0	S27 and (service with (refer\$4 or reference)) and (endpoint (refer\$4 or reference)) and (reference with property\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 18:29
S38	17	S27 and (service with (refer\$4 or reference)) and (endpoint (refer\$4 or reference)) and (reference with property\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 18:30
S39	40	S27 and (service with (refer\$4 or reference)) and (endpoint with (refer\$4 or reference)) and (reference with property\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 18:35
S40	22155	((web service) or WS) same (SOAP or XML or WSDL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/09 09:53
S41	216	S40 and (709/230,238,245 or 719/328).cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/09 09:53
S42	8	S41 and endpoint reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/09 09:53
S43	5	(endpoint reference) and (message information header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/09 09:54

S45	325	(SIP or XML or SOAP or WSDL) with message with (recipient or hub or router or prox\$3 or coordinator or distributor or forwarder or (coordinat\$3 or rout\$3 or distribut\$4 or forward\$3 or receiv\$3) near3 (part\$3 or entit\$3 or node or object or device)) same (endpoint or node or object or application or service) with (id or identification or identifier)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:01
S46	36	S45 and (message or content or body) near3 encrypt\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:02
S47	8	S46 and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:02
S48	39	S45 and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:09
S49	31	S48 not S47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:09
S51	2	10/017182.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:40
S52	2	10/105018.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:44
S53	2	10/038878.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 15:49

S56	872	(SIP or XML or SOAP or WSDL or web near service) with message with (recipient or hub or router or switch or prox\$3 or coordinator or distributor or forwarder or (coordinat\$3 or rout\$3 or switch\$3 or distribut\$4 or forward\$3 or receiv\$3) near3 (prox\$3 or switch or node or device or server or entit\$3)) same (endpoint or end near point or node or object or application or service) with (id or identification or identifier or address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 16:09
S57	95	(S56 not S45) and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 16:09
S59	39	S57 and encrypt\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 16:10
S60	1	10/016338.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 16:14
S61	2	10/270440.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 16:16
S63	20	(S56 not S45) and web near service and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 16:42
S64	3	S63 not S59	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 16:42

S65	377	(SIP or XML or SOAP or WSDL or web near service) with message with (dispatch\$4 or direct\$4) same (endpoint or end near point or node or object or application or service) with (id or identification or identifier or address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 17:39
S67	25	S65 and encrypt\$3 and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 17:39
S68	1	09/549041.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 17:41
S69	44	content near3 (switch\$3 or rout\$3) same (XML with tag)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 21:17
S70	22	S69 and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 21:17
S71	55	(curbera or ferguson or Frey or Leymann or Mukhi or orchard or nottingham or storey or weerawarana) and web near service and XML with tag	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 21:24
S72	22	S71 and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 21:25
S73	85	web near service and ("reply-to" or "reply to" or replyto)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 21:40
S74	13	S73 and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 21:41

S75	10	bosworth and web near service and XML and reply \$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 22:12
S76	6	S75 and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 22:13
S77	299	(SIP or XML or SOAP or WSDL or web near service) with request with (dispatch \$4 or direct\$4) same (endpoint or end near point or node or object or application or service) with (id or identification or identifier or address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 22:21
S78	56	S77 and (refer\$4 or reply) and @rlad < "20030313"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 22:22
S79	2	10/459694.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/05 22:24
S80	5	bosworth and web near service and dispatch\$3 same (web near service or endpoint or bean or application) with (identifier or address or reference or id or identification)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/06 14:33
S81	120	((((bosworth or nottingham or orchard) and BEA) or ((curbera or ferguson or frey or leyman or mukhi or storey or weerawarana) and (IBM or internation near2 business near2 machine))) and web service same (address\$3 or direct\$3 or switch\$3 or rout \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:16
S82	31	S81 and SOAP and endpoint and header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:17

S83	46	S81 and WSDL and endpoint	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:29
S84	15	S83 not S82	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:29
S85	70	S81 and (reply or callback or return) and relate and (fault or error)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:32
S86	39	S85 not (7 8)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:32
S87	1	((bosworth or nottingham or orchard) and BEA) or ((curbera or ferguson or frey or leymann or mukhi or storey or weerawarana) and (IBM or internation near2 business near2 machine))) and web service same (address\$3 or direct\$3 or switch\$3 or rout \$3) and request same (composite or aggregated or multiple) near3 endpoint	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:37
S89	29	web service same (address \$3 or direct\$3 or switch\$3 or rout\$3) and (request or message) same header same (composite or aggregated or multiple or plurality or more) near3 (endpoint or propert\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:39
S91	322	web service same (endpoint or endpointreference) and (reply or callback) and relate and (SOAP or XML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:45

S92	78	("20020073399" "20020099734" "5634010" "5678010" "5862328" "5862344" "5870605" "5896379" "5937165" "5951650" "5956339" "5987500" "6006264" "6012098" "6032190" "6091724" "6167448" "6226675" "6266335" "6343738" "6408311" "6480860" "6480865" "6507856" "6507857" "6584459"). PN. OR ("6732175").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/11/15 13:46
S94	15	web service with (address \$3 or direct\$3 or switch\$3 or rout\$3) same endpoint same propert\$3 and (XML or SOAP) with (tag or header)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/15 13:57
S97	3	SOAP with header same (multiple or series) with (destination or intermediar \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/17 11:43
S100	13	WS near routing and SOAP near3 header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/17 11:45
S101	162	(WS or web service) near address\$3 and SOAP near3 header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/17 11:47
S104	16	S101 and (@rlad < "20030313" @ad < "20030313")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/17 11:47

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S105	515	(WS or web service) near (address\$3 or rout\$3) and SOAP and XML	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/19 11:27

S106	61	S105 and message with header same (destination or recipient or receiver or endpoint or end near point) same (reference or proper \$3)	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/19 11:27
S107	44	S106 and (reply\$3 or respond \$3 or response or callback or call\$3 near back) and relat\$4 and (fault\$3 or error)	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/19 11:29
S108	19	((WS or web service) near (address\$3 or rout\$3) and SOAP and XML).clm.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/19 11:36
S109	23	((WS or web service) and message with header and SOAP and XML).clm.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/19 11:41
S110	22	S109 not (8 9)	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/19 11:41
S111	19	S106 and (709/230,238,245 or 719/328).ccls.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/19 11:47

11/ 19/ 2010 9:10:17 PM

**C:\ Documents and Settings\ szhang\ My Documents\ Critical Data\ My Dockets\ 10801999
 \ 10801999.wsp**